

SUMMARY LIST OF PUBLICATIONS

Last update: August 2025, for most recent papers check [Google Scholar](#), [ORCID](#) or [ASEP database](#)

PATENTS

- [1] P. Peterka, P. Koška, O. Podrazký, V. Matějec, and I. Kašík, "Amplifying module, method of making the same, and cladding pumped optical device incorporating the module," CZ Patent 305888, issued 9 March 2016, filed 5 Feb. 2015.
- [2] P. Koška, P. Peterka, and M. Písařík, "Mode field adapter for signal branch of pump and signal combiners, combiner, and optical device," CZ Patent 305868, issued 2 March 2016, filed 12 Dec. 2014.
- [3] P. Peterka, P. Honzátko, and R. Slavík, "All-fiber laser with passive Q-switching," CZ Patent 303333, issued 21 June 2012, filed 17 June 2011.
- [4] P. Peterka, I. Kašík, and V. Matějec, "Method and device for coupling the signal and pump into double-clad optical fiber for fiber amplifiers and lasers," CZ Patent 301215, issued 2 Nov. 2009, filed 12 April 2005.

BOOK CHAPTERS

- [1] B. Dussardier, W. Blanc, and P. Peterka, "Tailoring of the local environment of active ions in rare-earth-and transition-metal-doped optical fibres and potential applications," in *Selected Topics on Optical Fiber Technology*, S. W. Harun, Ed., IntechOpen, 2012, pp. 95-120.
<https://doi.org/10.5772/2429>
- [2] P. Peterka and J. Vojtěch, "Optical amplifiers," in *Handbook of Radio and Optical Networks Convergence*, Springer, Tetsuya Kawanishi. Ed., Springer - Nature, Singapore, 2023.
https://doi.org/10.1007/978-981-33-4999-5_20-1.

JOURNAL PUBLICATIONS

- [1] B. Švejkarová, M. Grábner, J. Aubrecht, R. Švejkar, J. Pokorný, M. Kamrádek, O. Podrazký, I. Kašík, P. Honzátko, A. Clarkson, and P. Peterka, "Thulium fiber lasers with longitudinally modified concentration," *High Power Laser Science and Engineering* (2025). *In print*
<https://doi.org/10.1017/hpl.2025.10051>
- [2] Y. Wang, R. Buczyński, K. Krupa, I. Barton, J. Aubrecht, M. Kamradek, S. Fu, M. Tang, M. Franczyk, Y. Stepanenko, M. Klimczak, I. Kasik, P. Peterka, L. Zhao, "Nanostructured active fiber for mode-locked and Q-switched all-fiber laser systems," *IEEE J. of Lightwave Technol.* 43 (2025) 7322–7328. <https://doi.org/10.1109/JLT.2025.3569693>.
- [3] J. Pokorný, B. Švejkarová, J. Aubrecht, M. Kamrádek, I. Bartoň, I. Kašík, P. Honzátko, P. Peterka, "Holmium-doped silica fibers combining high doping and high efficiency," *Opt. Express*, OE 33 (2025) 14843–14849. <https://doi.org/10.1364/OE.554762>.

- [4] A. Theodosiou, O. Henderson-Sapir, Y. Baravets, O.T. Cobcroft, S.M. Sentschuk, J.A. Stone, D.J. Ottaway, and P. Peterka, "Understanding the Temperature Conditions for Controlled Splicing Between Silica and Fluoride Fibers," *Adv. Photonics Res.* 6 (2025) 2400150. <https://doi.org/10.1002/adpr.202400150>.
- [5] I. Kasik, I. Barton, M. Kamrádek, O. Podrazky, J. Aubrecht, P. Varak, P. Peterka, P. Honzatko, D. Pysz, M. Franczyk, R. Buczynski, "Doped and structured silica optical fibres for fibre laser sources," *Opt. Comm.* 577 (2025) 131437. <https://doi.org/10.1016/j.optcom.2024.131437>.
- [6] M. Kamrádek, I. Kašík, J. Aubrecht, P. Vařák, O. Podrazký, I. Bartoň, J. Pokorný, P. Peterka, P. Honzátka, "Nanoparticle doping as a way to enhance holmium fiber lasers efficiency," *Opt. Comm.* 575 (2025) 131290. <https://doi.org/10.1016/j.optcom.2024.131290>.
- [7] M. Grábner, B. Švejkarová, J. Aubrecht, J. Pokorný, P. Honzátka, P. Peterka, "Rise of amplified spontaneous emission in high-power thulium-doped fiber lasers and amplifiers due to self-heating," *Optics & Laser Technology* 180 (2025) 111428. <https://doi.org/10.1016/j.optlastec.2024.111428>.
- [8] P. Vařák, M. Leich, M. Kamrádek, J. Aubrecht, O. Podrazký, I. Bartoň, B. Švejkarová, A. Michalcová, K. Wondraczek, M. Jäger, I. Kašík, P. Peterka, P. Honzátka, "Nanoparticle doping and molten-core methods towards highly thulium-doped silica fibers for 0.79 μm -pumped 2 μm fiber lasers – A fluorescence lifetime study," *J. of Luminescence* 275 (2024) 120835. <https://doi.org/10.1016/j.jlumin.2024.120835>.
- [9] J. Pokorný, J. Aubrecht, M. Kamrádek, B. Švejkarová, P. Vařák, M. Grábner, P. Peterka, "Depressed-cladding thulium-doped fiber for applications below 1800 nm," *Opt. Express*, OE 32 (2024) 17966–17976. <https://doi.org/10.1364/OE.523168>.
- [10] M. Grábner, B. Švejkarová, J. Aubrecht, P. Peterka, "Analytical model of thulium-doped fiber laser pumped by two-for-one process," *IEEE J. Lightwave Technol.* 42 (2024) 2938–2944. <https://doi.org/10.1109/JLT.2023.3345001>.
- [11] J. Aubrecht, J. Pokorný, B. Švejkarová, M. Kamrádek, P. Peterka, "Broadband thulium fiber amplifier for spectral region located beyond the L-band," *Opt. Express*, OE 32 (2024) 17932–17941. <https://doi.org/10.1364/OE.522088>.
- [12] P. Peterka, J. Aubrecht, D. Pysz, M. Franczyk, O. Schreiber, M. Kamrádek, I. Kasik, R. Buczyński, "Development of pedestal-free large mode area fibers with Tm doped silica nanostructured core," *Opt. Express* 31 (2023) 43004–43016. <https://doi.org/10.1364/OE.503047>.
- [13] B. Jiříčková(Švejkarová), M. Grábner, C. Jauregui, J. Aubrecht, O. Schreiber, P. Peterka, "Temperature-dependent cross section spectra for thulium-doped fiber lasers," *Opt. Lett.* 48 (2023) 811–814. <https://doi.org/10.1364/OL.479313>.
- [14] P. Vařák, I. Kašík, P. Peterka, J. Aubrecht, J. Mrázek, M. Kamrádek, O. Podrazký, I. Bartoň, M. Franczyk, R. Buczynski, and P. Honzátka, "Heat treatment and fiber drawing effect on the luminescence properties of RE-doped optical fibers (RE:Yb, Tm, Ho)," *Opt. Express*, vol. 30, no. 6, pp. 10050–10062, Mar. 2022, <https://doi.org/10.1364/OE.449643>.
- [15] P. Vařák, M. Kamrádek, J. Mrázek, O. Podrazký, J. Aubrecht, P. Peterka, P. Nekvindová, and I. Kašík, "Luminescence and laser properties of RE-doped silica optical fibers: The role of composition, fabrication processing, and inter-ionic energy transfers," *Optical Materials: X*, vol. 15, p. 100177, Aug. 2022, <https://doi.org/10.1016/j.omx.2022.100177>.
- [16] D. C. Kirsch, A. Bednyakova, P. Varak, P. Honzatko, B. Cadier, T. Robin, A. Fotiadi, P. Peterka, and M. Chernysheva, "Gain-controlled broadband tuneability in self-mode-locked Thulium-doped fibre laser," *Commun. Phys.*, vol. 5, p. 219, Sep. 2022, <https://doi.org/10.1038/s42005-022-00989-x>.
- [17] M. Franczyk, D. Pysz, R. Stepien, J. Cimek, R. Kasztelaniec, F. L. Chen, M. Klimczak, L. Zhao, I. Kasik, P. Peterka, and R. Buczynski, "Dual band active nanostructured core fiber for two-color fiber laser operation," *J. Lightwave Technol.*, vol. 40, no. 21, pp. 7180–7190, Nov. 2022, <https://doi.org/10.1109/JLT.2022.3199581>.

- [18] P. Peterka, D. Pugliese, B. Jiříčková, N. G. Boetti, H. Turčičová, I. Mirza, A. Borodkin, and D. Milanese, "High-power laser testing of calcium-phosphate-based bioresorbable optical fibers," *Opt. Mater. Express*, vol. 11, no. 7, p. 2049, Jul. 2021, <https://doi.org/10.1364/OME.428490>
- [19] M. Grábner, K. Nithyanandan, P. Peterka, P. Koška, A. A. Jasim, and P. Honzátka, "Simulations of pump absorption in tandem-pumped octagon double-clad fibers," *IEEE Photonics J.*, vol. 13, no. 2, p. 1500314, 2021, <https://doi.org/10.1109/jphot.2021.3060857>
- [20] M. Kamrádek, J. Aubrecht, P. Vařák, J. Cajzl, V. Kubeček, P. Honzátka, I. Kašík, and P. Peterka, "Energy transfer coefficients in thulium-doped silica fibers," *Opt. Mater. Express*, vol. 11, no. 6, pp. 1805–1814, Jun. 2021, <https://doi.org/10.1364/ome.427456>
- [21] A. A. Jasim, P. Peterka, O. Podrazký, M. Kamrádek, F. Todorov, and P. Honzátka, "Efficient approach to designing low OH diffusion in the thermally shaped double-clad fibers," *Optical Fiber Technology*, vol. 63, p. 102513, May 2021, <https://doi.org/10.1016/j.yofte.2021.102513>
- [22] M. Grábner, P. Peterka, and P. Honzátka, "Formula for temperature distribution in multi-layer optical fibres for high-power fibre lasers," *Opto-Electron. Rev.*, vol. 29, pp. 126–132, 2021, <https://doi.org/10.24425/OPELRE.2021.139482>
- [23] F. Todorov, J. Aubrecht, P. Peterka, O. Schreiber, A. A. Jasim, J. Mrázek, O. Podrazký, M. Kamrádek, K. Nithyanandan, M. Grábner, Y. Baravets, J. Cajzl, P. Koška, A. Fišar, I. Kašík, and P. Honzátka, "Active optical fibers and components for fiber lasers emitting in the 2- μ m spectral range," *Materials*, vol. 13, no. 22, p. 5177, 2020, <https://doi.org/10.3390/ma13225177>
- [24] I. Kasik, V. Matejec, M. Hayer, M. Kamradek, O. Podrazky, J. Mrazek, P. Peterka, and P. Honzatko, "Glass materials for optical fibers," *Ceramics - Silikaty*, vol. 64, no. 1, pp. 29–34, 2020, <https://doi.org/10.13168/cs.2019.0045>
- [25] A. A. Jasim, O. Podrazký, P. Peterka, M. Kamrádek, I. Kašík, and P. Honzátka, "Impact of shaping optical fiber preforms based on grinding and a CO₂ laser on the inner-cladding losses of shaped double-clad fibers," *Opt. Express*, vol. 28, no. 9, pp. 13601–13615, Apr. 2020, <https://doi.org/10.1364/oe.386571>
- [26] Y. Baravets, P. Dvorak, F. Todorov, J. Ctyroky, P. Peterka, and P. Honzatko, "Broadly tunable laser based on novel metallic resonant leaky-mode diffraction grating," *Opt. Express*, vol. 28, no. 3, pp. 4340–4346, Feb. 2020, <https://doi.org/10.1364/oe.384550>
- [27] J. Aubrecht, P. Peterka, P. Honzatko, O. Moravec, M. Kamradek, and I. Kasik, "Broadband thulium-doped fiber ASE source," *Opt. Lett.*, vol. 45, no. 8, pp. 2164–2167, 2020, <https://doi.org/10.1364/OL.389397>
- [28] **O. Podrazký, P. Peterka, I. Kašík, S. Vytykáčová, J. Proboštová, J. Mrázek, M. Kuneš, V. Závalová, V. Radochová, O. Lyutakov, E. Ceci-Ginistrelli, D. Pugliese, N. G. Boetti, D. Janner, and D. Milanese, "In-vivo testing of a bioresorbable phosphate-based optical fiber," *J. Biophotonics*, vol. 12, no. 7, p. e201800397, 2019, <https://doi.org/10.1002/jbio.201800397>**
- [29] J. Mrázek, S. Vytykáčová, J. Buršík, V. Puchý, V. Girman, P. Peterka, and I. Kašík, "Sol-gel route to nanocrystalline Eu₂Ti₂O₇ films with tailored structural and optical properties," *J. Am. Ceram. Soc.*, vol. 102, no. 11, pp. 6713–6723, Nov. 2019, <https://doi.org/10.1111/jace.16524>
- [30] M. Kamrádek, I. Kašík, J. Aubrecht, J. Mrázek, O. Podrazký, J. Cajzl, P. Vařák, V. Kubeček, P. Peterka, and P. Honzátka, "Nanoparticle and solution doping for efficient holmium fiber lasers [Invited paper]," *IEEE Photonics J.*, vol. 11, no. 5, p. 7103610, 2019, <http://doi.org/10.1109/jphot.2019.2940747>
- [31] I. Kasik, M. Kamradek, J. Aubrecht, P. Peterka, O. Podrazky, J. Cajzl, J. Mrazek, and P. Honzatko, "Thulium-doped optical fibers for fiber lasers operating at around 2 μ m," *Bull. Pol. Acad. Sci.-Tech. Sci.*, vol. 67, no. 5, pp. 981–986, Oct. 2019, <https://doi.org/10.24425/bpasts.2019.130883>
- [32] N. Kanagaraj, A. Theodosiou, J. Aubrecht, P. Peterka, M. Kamradek, K. Kalli, I. Kasik, and P. Honzatko, "All fiber mode-locked thulium-doped fiber laser using a novel femtosecond-laser-inscribed 45°-plane-by-plane-tilted fiber grating," *Laser Phys Lett*, vol. 16, no. 9, p. 095104, Aug. 2019, <http://doi.org/10.1088/1612-202x/ab39db>

- [33] A. Theodosiou, J. Aubrecht, P. Peterka, I. Kasik, F. Todorov, O. Moravec, P. Honzatko, and K. Kalli, "Er/Yb double-clad fiber laser with fs-laser inscribed plane-by-plane chirped FBG laser mirrors," *IEEE Photonics Technol. Lett.*, vol. 31, no. 5, pp. 409–412, 2019, <https://doi.org/10.1109/lpt.2019.2896896>
- [34] S. Vytykáčová, J. Mrázek, V. Puchý, R. Džunda, R. Skála, P. Peterka, and I. Kašík, "Sol-gel route to highly transparent $(\text{Ho}_{0.05}\text{Y}_{0.95})_2\text{Ti}_2\text{O}_7$ thin films for active optical components operating at 2 μm ," *Opt. Mater.*, vol. 78, pp. 415–420, Apr. 2018, <https://doi.org/10.1016/j.optmat.2018.02.049>
- [35] S. Sujecki, L. Sojka, A. B. Seddon, T. M. Benson, E. Barney, M. C. Falconi, F. Prudenzeno, M. Marciniak, H. Baghdasaryan, P. Peterka, and S. Taccheo, "Comparative Modeling of Infrared Fiber Lasers," *Photonics*, vol. 5, no. 4, Art. no. 4, Dec. 2018, <https://doi.org/10.3390/photonics5040048>
- [36] P. Peterka, P. Koška, and J. Čtyroký, "Reflectivity of superimposed Bragg gratings induced by longitudinal mode instabilities in fiber lasers," *IEEE J. Sel. Topics Quantum Electron.*, vol. 24, no. 3, p. 0902608, May 2018, <https://doi.org/10.1109/jstqe.2018.2806084>
- [37] P. Navratil, P. Peterka, P. Vojtisek, I. Kasik, J. Aubrecht, P. Honzatko, and V. Kubecek, "Self-swept erbium fiber laser around 1.56 μm ," *Opto-Electron. Rev.*, vol. 26, no. 1, pp. 29–34, Mar. 2018, <https://doi.org/10.1016/j.opelre.2017.11.004>
- [38] J. Mrázek, I. Kašík, L. Procházková, V. Čuba, V. Girman, V. Puchý, W. Blanc, P. Peterka, J. Aubrecht, J. Cajzl, and O. Podrazký, "YAG Ceramic Nanocrystals Implementation into MCVD Technology of Active Optical Fibers," *Appl. Sci.*, vol. 8, no. 5, p. 833, 2018, <https://doi.org/10.3390/app8050833>
- [39] J. Cajzl, P. Peterka, M. Kowalczyk, J. Tarka, G. Sobon, J. Sotor, J. Aubrecht, P. Honzátka, and I. Kašík, "Thulium-doped silica fibers with enhanced fluorescence lifetime and their application in ultrafast fiber lasers," *Fibers*, vol. 6, no. 3, p. 66, 2018, <https://doi.org/10.3390/fib6030066>
- [40] P. Navratil, P. Peterka, P. Honzatko, and V. Kubecek, "Reverse spontaneous laser line sweeping in ytterbium fiber laser," *Laser Phys. Lett.*, vol. 14, no. 3, p. 035102, Mar. 2017, <https://doi.org/10.1088/1612-202x/Aa548d>
- [41] J. Aubrecht, P. Peterka, P. Koska, O. Podrazky, F. Todorov, P. Honzatko, and I. Kasik, "Self-swept holmium fiber laser near 2100 nm," *Opt. Express*, vol. 25, no. 4, pp. 4120–4125, Feb. 2017, <https://doi.org/10.1364/Oe.25.004120>
- [42] J. Sotor, M. Pawliszewska, G. Sobon, P. Kaczmarek, A. Przewolka, I. Pasternak, J. Cajzl, P. Peterka, P. Honzatko, I. Kasik, W. Strupinski, and K. Abramski, "All-fiber Ho-doped mode-locked oscillator based on a graphene saturable absorber," *Opt. Lett.*, vol. 41, no. 11, pp. 2592–2595, Jun. 2016, <https://doi.org/10.1364/Ol.41.002592>
- [43] M. Písařík, P. Peterka, J. Aubrecht, J. Cajzl, A. Benda, D. Mareš, F. Todorov, O. Podrazký, P. Honzátka, and I. Kašík, "Thulium-doped fibre broadband source for spectral region near 2 micrometers," *Opto-Electron Rev.*, vol. 24, no. 4, pp. 223–231, Dec. 2016, <https://doi.org/10.1515/oere-2016-0022>
- [44] P. Peterka, P. Honzatko, P. Koska, F. Todorov, J. Aubrecht, O. Podrazky, and I. Kasik, "Reflectivity of transient Bragg reflection gratings in fiber laser with laser-wavelength self-sweeping: erratum," *Opt. Express*, vol. 24, no. 14, pp. 16222–16223, Jul. 2016, <https://doi.org/10.1364/Oe.24.016222>
- [45] P. Koska, P. Peterka, and V. Doya, "Numerical modeling of pump absorption in coiled and twisted double-clad fibers," *IEEE J. Sel. Topics Quantum Electron.*, vol. 22, no. 2, p. 4401508, Apr. 2016, <https://doi.org/10.1109/Jstqe.2015.2490100>
- [46] P. Koska, P. Peterka, J. Aubrecht, O. Podrazky, F. Todorov, M. Becker, Y. Baravets, P. Honzatko, and I. Kasik, "Enhanced pump absorption efficiency in coiled and twisted double-clad thulium-doped fibers," *Opt. Express*, vol. 24, no. 1, pp. 102–107, Jan. 2016, <https://doi.org/10.1364/oe.24.000102>

- [47] I. Kasik, P. Peterka, J. Mrazek, and P. Honzatko, "Silica optical fibers doped with nanoparticles for fiber lasers and broadband sources," *Curr Nanosci*, vol. 12, no. 3, pp. 277–290, 2016, <https://doi.org/10.2174/1573413711666150624170638>
- [48] P. Koska and P. Peterka, "Numerical analysis of pump propagation and absorption in specially tailored double-clad rare-earth doped fiber," *Opt Quant Electron*, vol. 47, no. 9, pp. 3181–3191, Sep. 2015, <http://doi.org/10.1007/s11082-015-0194-2>
- [49] P. Koska, Y. Baravets, P. Peterka, J. Bohata, and M. Pisarik, "Mode-field adapter for tapered-fiber-bundle signal and pump combiners," *Appl. Optics*, vol. 54, no. 4, pp. 751–756, Feb. 2015, <https://doi.org/10.1364/ao.54.000751>
- [50] M. Pisarik, P. Peterka, S. Zvanovec, Y. Baravets, F. Todorov, I. Kasik, and P. Honzatko, "Fused fiber components for 'eye-safe' spectral region around 2 μm ," *Opt Quant Electron*, vol. 46, no. 4, pp. 603–611, Apr. 2014, <https://doi.org/10.1007/s11082-013-9801-2>
- [51] P. Peterka, P. Honzatko, P. Koska, F. Todorov, J. Aubrecht, O. Podrazky, and I. Kasik, "Reflectivity of transient Bragg reflection gratings in fiber laser with laser-wavelength self-sweeping," *Opt Express*, vol. 22, no. 24, pp. 30024–30031, Dec. 2014, <https://doi.org/10.1364/oe.22.030024>
- [52] I. Kasik, O. Podrazky, J. Mrazek, J. Cajzl, J. Aubrecht, J. Probostova, P. Peterka, P. Honzatko, and A. Dhar, "Erbium and Al_2O_3 nanocrystals-doped silica optical fibers," *B Pol Acad Sci-Tech*, vol. 62, no. 4, pp. 641–646, Dec. 2014, <https://doi.org/10.2478/bpasts-2014-0070>
- [53] J. Mrázek, I. Kašík, L. Procházková, V. Čuba, J. Aubrecht, J. Cajzl, O. Podrazký, P. Peterka, and M. Nikl, "Active optical fibers doped with ceramic nanocrystals," *Advances in Electrical and Electronic Engineering*, vol. 12, no. 6, pp. 567–574, 2014, <https://doi.org/10.15598/aeet.v12i6.1191>
- [54] J. Bohata, M. Pisarik, S. Zvanovec, and P. Peterka, "Reliability of aircraft multimode optical networks," *Opt. Eng.*, vol. 53, no. 9, p. 096102, Sep. 2014, <https://doi.org/10.1117/1.oe.53.9.096102>
- [55] P. Peterka, P. Honzatko, M. Becker, F. Todorov, M. Pisarik, O. Podrazky, and I. Kasik, "Monolithic Tm-doped fiber laser at 1951 nm with deep-UV femtosecond-induced FBG pair," *IEEE Photonics Technol. Lett.*, vol. 25, no. 16, pp. 1623–1625, Aug. 2013, <https://doi.org/10.1109/lpt.2013.2272880>
- [56] P. Honzatko, Y. Baravets, F. Todorov, P. Peterka, and M. Becker, "Coherently combined power of 20 W at 2000 nm from a pair of thulium-doped fiber lasers," *Laser Phys. Lett.*, vol. 10, no. 9, p. 095104, Sep. 2013, <https://doi.org/10.1088/1612-2011/10/9/095104>
- [57] P. Peterka, P. Navrátil, J. Maria, B. Dussardier, R. Slavík, P. Honzátka, and V. Kubeček, "Self-induced laser line sweeping in double-clad Yb-doped fiber-ring lasers," *Laser Phys. Lett.*, vol. 9, no. 6, pp. 445–450, 2012, <https://doi.org/10.7452/lapl.201210013>
- [58] P. Peterka, I. Kasik, A. Dhar, B. Dussardier, and W. Blanc, "Theoretical modeling of fiber laser at 810 nm based on thulium-doped silica fibers with enhanced $^3\text{H}_4$ level lifetime," *Opt. Express*, vol. 19, no. 3, pp. 2773–2781, Jan. 2011, <https://doi.org/10.1364/OE.19.002773>
- [59] B. Dussardier, J. Maria, and P. Peterka, "Passively Q-switched ytterbium- and chromium-doped all-fiber laser," *Appl. Optics*, vol. 50, no. 25, pp. E20–E23, Sep. 2011, <https://doi.org/10.1364/ao.50.000e20>
- [60] P. Peterka, J. Maria, B. Dussardier, R. Slavik, P. Honzatko, and V. Kubecek, "Long-period fiber grating as wavelength selective element in double-clad Yb-doped fiber-ring lasers," *Laser Phys. Lett.*, vol. 6, no. 10, pp. 732–736, Oct. 2009, <https://doi.org/10.1002/lapl.200910067>
- [61] Y. N. Zhu, R. T. Bise, J. Kanka, P. Peterka, and H. Du, "Fabrication and characterization of solid-core photonic crystal fiber with steering-wheel air-cladding for strong evanescent field overlap," *Opt. Commun.*, vol. 281, no. 1, pp. 55–60, Jan. 2008, <https://doi.org/10.1016/j.optcom.2007.08.071>
- [62] D. A. Simpson, W. E. K. Gibbs, S. F. Collins, W. Blanc, B. Dussardier, G. Monnom, P. Peterka, and G. W. Baxter, "Visible and near infra-red up-conversion in $\text{Tm}^{3+}/\text{Yb}^{3+}$ co-doped silica

- fibers under 980 nm excitation," *Opt. Express*, vol. 16, no. 18, pp. 13781–13799, Sep. 2008, <https://doi.org/10.1364/oe.16.013781>
- [63] M. Pospisilova, P. Adamek, P. Peterka, V. Kubecek, I. Kasik, and V. Matejec, "Influence of Si-Al-Ge-Sb Matrices on Tm^{3+} Excitation Levels," *Mater. Sci. Forum.*, vol. 587–588, p. 293, 2008, <https://doi.org/10.4028/www.scientific.net/MSF.587-588.293>
- [64] P. Peterka, J. Kanka, P. Honzatko, and D. Kacik, "Measurement of chromatic dispersion of microstructure optical fibers using interferometric method," *Opt. Appl.*, vol. 38, no. 2, pp. 295–303, 2008.
- [65] P. Peterka, I. Kasik, V. Matejec, W. Blanc, B. Faure, B. Dussardier, G. Monnom, and V. Kubecek, "Thulium-doped silica-based optical fibers for cladding-pumped fiber amplifiers," *Opt. Mater.*, vol. 30, no. 1, pp. 174–176, Sep. 2007, <https://doi.org/10.1016/j.optmat.2006.11.039>
- [66] P. Peterka, I. Kasik, V. Matejec, V. Kubecek, and P. Dvoracek, "Experimental demonstration of novel end-pumping method for double-clad fiber devices," *Opt. Lett.*, vol. 31, no. 22, pp. 3240–3242, Nov. 2006, <https://doi.org/10.1364/ol.31.003240>
- [67] V. Matejec, J. Mrazek, M. Hayer, I. Kasik, P. Peterka, J. Kanka, P. Honzatko, and D. Berkova, "Microstructure fibers for gas detection," *Mat. Sci. Eng. C-Bio. S.*, vol. 26, no. 2–3, pp. 317–321, Mar. 2006, <https://doi.org/10.1016/j.msec.2005.10.043>
- [68] M. Karasek, P. Peterka, and J. Radil, "10 gigabit Ethernet long-haul transmission without in-line EDFAs," *Ann. Telecommun.*, vol. 61, no. 3–4, pp. 478–488, Apr. 2006, <https://doi.org/10.1007/Bf03219918>
- [69] P. Peterka, B. Faure, W. Blanc, M. Karasek, and B. Dussardier, "Theoretical modelling of S-band thulium-doped silica fibre amplifiers," *Opt. Quant. Electron.*, vol. 36, no. 1–3, pp. 201–212, Feb. 2004, <https://doi.org/10.1023/B:ooel.0000015640.82309.7d>
- [70] I. Martinec, D. Kacik, I. Turek, and P. Peterka, "The determination of the refractive index profile in alpha-profile optical fibres by intermodal interference investigation," *Optik*, vol. 115, no. 2, pp. 86–88, 2004, <https://doi.org/10.1078/0030-4026-00331>
- [71] M. Karasek, P. Peterka, and J. Radil, "202 km repeaterless transmission of 2x10 GE plus 2x1 GE channels over standard single mode fibre," *Opt. Commun.*, vol. 235, no. 4–6, pp. 269–274, May 2004, <https://doi.org/10.1016/j.optcom.2004.02.077>
- [72] M. Karasek, J. Kanka, P. Honzatko, and P. Peterka, "Time-domain simulation of power transients in Raman fibre amplifiers," *Int. J. Numer. Model.*, vol. 17, no. 2, pp. 165–176, Apr. 2004, <https://doi.org/10.1002/jnm.531>
- [73] M. Karasek, J. Kanka, P. Honzatko, and P. Peterka, "Modelling of a pump-power-controlled gain-locking system for multi-pump wideband Raman fibre amplifiers," *IEE Proc.-Optoelectron.*, vol. 151, no. 2, pp. 74–80, Apr. 2004, <https://doi.org/10.1049/ip-opt:20040391>
- [74] I. Kasik, V. Matejec, J. Kanka, P. Peterka, P. Honzatko, and A. Langrova, "Using aerosol-based techniques and solution-doping for the fabrication of optical fibers for fiber lasers," *Rev. Roum. Chim.*, vol. 47, no. 12, pp. 1241–1245, Dec. 2002.
- [75] P. Honzatko, P. Peterka, and J. Kanka, "Three- and four-wave model of modulation instability fibre laser," *J. Opt. Pure Appl. Opt.*, vol. 4, no. 5, pp. S135–S139, Sep. 2002, <https://doi.org/10.1088/1464-4258/4/5/360>
- [76] P. Peterka and J. Kanka, "Erbium-doped twin-core fibre narrow-band filter for fibre lasers," *Opt. Quant. Electron.*, vol. 33, no. 4–5, pp. 571–581, Apr. 2001, <http://doi.org/10.1023/A:1010875724394>
- [77] P. Honzatko, P. Peterka, and J. Kanka, "Modulational-instability sigma-resonator fiber laser," *Opt. Lett.*, vol. 26, no. 11, pp. 810–812, Jun. 2001, <http://doi.org/10.1364/ol.26.000810>
- [78] P. Peterka, I. Kasik, J. Kanka, P. Honzatko, V. Matejec, and M. Hayer, "Twin-core fiber design and preparation for easy splicing," *IEEE Photonics Technol. Lett.*, vol. 12, no. 12, pp. 1656–1658, Dec. 2000, <http://doi.org/10.1109/68.896339>
- [79] M. Hayer, V. Matejec, D. Berkova, I. Kasik, J. Kanka, P. Peterka, and P. Honzatko, "Effect of high-temperature treatment on optical properties of silica films doped with Al_2O_3 , P_2O_5 and

- rare-earth elements," *J. Sol-Gel Sci. Technol.*, vol. 19, no. 1–3, pp. 293–296, Dec. 2000, <http://doi.org/10.1023/A:1008721329437>
- [80] J. Kanka, P. Peterka, P. Honzatko, V. Matejec, and I. Kasik, "Er-doped twin-core fibre coupler as a saturable-absorber-based narrow-band filter for fibre lasers," *Czechoslovak J. Phys.*, vol. 49, no. 5, pp. 889–894, May 1999, <http://doi.org/10.1023/A:1021213929381>

POPULARISATION ARTICLES AND OTHER PUBLICATIONS

- [1] P. Peterka, O. Nuslauer *et al*, "The first laser eye surgery in Czechoslovakia", short documentary film about parts of the history of ÚFE, including archival footage of the first laser retinal surgery, Czech with English subtitles, <https://www.ufe.cz/en/film/>
- [2] P. Peterka and J. Zavadil, "60 years of light in the Institute of Photonics and Electronics of the CAS," *Fine Mechanics and Optics* **60**, 200-203 (2015), in Czech. http://www.ufe.cz/sites/default/files/peterka/fjfi/15_peterka_jmo-thulium_a_historie_ufe.pdf
- [3] P. Peterka, *Fiber lasers*, Ed. Science around us, Prague, Academia, 2014, in Czech. <http://www.academia.cz/edice/kniha/vlaknove-lasery>
- [4] P. Peterka, "Vláknové lasery dobývají svět," *Panorama 21. STOLETÍ* 16-19 (2012), in Czech. https://www.ufe.cz/sites/default/files/peterka/fjfi/12_peterka_21_stoleti-panorama.pdf
- [5] I. Kasik and P. Peterka, "Optical fibers - backbone of modern communications," *Czechoslovak J. Phys.* **61**, 4-7 (2011), in Czech.
- [6] P. Peterka and V. Matějčec, "Optical fibers have come to Nobel prize for physics," *Progresses in mathematics, physics and astronomy (Pokroky MFA)* **55**, 1-11 (2010), published also in *Sdělovací technika* **59**, 16-20 (2010), in Czech. https://www.ufe.cz/sites/default/files/peterka/fjfi/10_peterka_matejec_pmfa_nobelovka_pr_o_opticka_vlakna.pdf
- [7] P. Peterka, "Fiber lasers," in *Proc. Open Science - practical courses in Physics*, Nové Hradky, South Bohemia, Czech Republic, 15-19 August 2005, pp. 165-177, in Czech.
- [8] P. Peterka, "Self-sweeping of laser wavelength in fiber lasers," Habilitation thesis, Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University, Prague, 2018.
- [9] P. Peterka, "Twin-core optical fibres for fibre lasers," Ph.D. thesis, Faculty of Electrical Engineering, Czech Technical University, Prague, 1999, in Czech.
- [10] P. Peterka, "Modelling and measurement of active optical fibers," diploma thesis, Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University, Prague, 1993, in Czech.

CONFERENCE PAPERS

- [1] B. Švejkarová, M. Grábner, J. Aubrecht, and P. Peterka, "Temperature-dependent emission spectra around 800 nm and 1800 nm of the thulium-doped fibers pumped at 1565 nm," in *CLEO/Europe-EQEC* (2025), Munich, Germany, 23-27 June 2025, p. CJ-P.7.
- [2] J. Pokorný, B. Švejkarová, J. Aubrecht, M. Kamrádek, I. Bartoň, I. Kašík, P. Honzátka, and P. Peterka, "35 W core-pumped holmium fiber laser," in *CLEO/Europe-EQEC* (2025), Munich, Germany, 23-27 June 2025, p. CJ-10.6.
- [3] P. Honzatko, J. Aubrecht, I. Barton, M. Grabner, M. Kamradek, I. Kasik, O. Podrazky, B. Svejkarova, P. Varak, and P. Peterka, "Development of Tm-doped LMA fibres for high-power

- amplifiers/lasers operating in the 2 μm spectral range [Invited]," in CLEO/Europe-EQEC (2025), Munich, Germany, 23-27 June 2025, p. CJ-3.1.
- [4] J. Pokorný, M. Kamrádek, and P. Peterka, "The effect of ion pair dynamics on unsaturable absorption in holmium doped fibers," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 240–242.
 - [5] I. Kasík, M. Kamradek, O. Podrazky, I. Barton, J. Aubrecht, M. Grabner, P. Honzátko, F. Todorov, and P. Peterka, "Study on doping of specialty silica optical fibers for Tm-fiber lasers and amplifiers with antimony oxide," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 159–162.
 - [6] M. Kamrádek, I. Kašík, J. Aubrecht, P. Vařák, O. Podrazký, I. Bartoň, P. Peterka, and P. Honzátko, "Highly-doped optical fibers for high-efficiency holmium lasers," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 30–33.
 - [7] M. Grábner, J. Čtyroký, I. Bartoň, O. Podrazký, and P. Peterka, "Design of thulium-doped fiber with microstructured core and air cladding," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 148–150.
 - [8] V. Čírtková, J. Aubrecht, B. Švejkarová, J. Pokorný, P. Vařák, M. Kamrádek, and P. Peterka, "Spectroscopy of thulium-doped fibers with depressed cladding for sources emitting around 1700nm," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 247–250.
 - [9] I. Barton, J. Aubrecht, P. Varak, M. Kamradek, O. Podrazky, R. Buczynski, I. Kasík, and P. Peterka, "Effect of drawing process on optical properties of dual-wavelength fiber lasers," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 196–199.
 - [10] J. Aubrecht, B. Švejkarová, M. Kamrádek, P. Vařák, and P. Peterka, "The effect of one-dimensional core structure on thulium fiber laser properties," in 8th Workshop on Specialty Optical Fibers, WSOF, Prague, Czechia, 7-10 April 2025, SPIE vol. 13522, pp. 200–203.
 - [11] J. Pokorný and P. Peterka, "Pair-induced quenching in holmium-doped fiber lasers and its impact on efficiency and operating wavelength," In Proc. Photonics West, Fiber Lasers XXII: Technology and Systems, San Francisco, California, USA, 25-30 January 2025, SPIE Vol. 13342, p. 133420C.
 - [12] P. Peterka, R. Buczynski, D. Pysz, I. Kašík, O. Podrazký, M. Kamradek, M. Grábner, J. Aubrecht, J. Pokorný, B. Švejkarová, P. Honzátko, "Structured-core thulium-doped fibers for 2 μm fiber lasers [Invited]," SPIE Photonics Europe, Strasbourg, France, 8 - 11 April 2024, p. 13003-35.
 - [13] P. Peterka, I. Bartoň, P. Vařák, M. Franzcyk, J. Aubrecht, R. Kasztelanic, M. Kamrádek, D. Pysz, O. Podrazký, I. Kašík, R. Buczynski, Dual-wavelength fiber lasers based on active fibers with structured cores [invited], in: *SPIE Photonics West, Fiber Lasers XXI: Technology and Systems*, San Francisco, USA, 27 January – 2 February 2024, p. 1286512.
 - [14] A. Theodosiou, L. Koutsokeras, A. Ioannou, A. Stancalie, C.D. Negut, J. Aubrecht, P. Peterka, G. Constantinides, K. Kalli, "Post-radiation effects of core pumped monolithic holmium-doped silica fibre lasers," in *Proc. SPIE*, Prague, Czechia, 2023, p. 125730U.
 - [15] O. Schreiber, B. Jiříčková, J. Aubrecht, M. Grábner, C. Jauregui, P. Honzátko, P. Peterka, "The effect of temperature dependence of thulium cross sections on thulium-doped fiber laser operation," in: *Proc. SPIE Photonics West*, SPIE, San Francisco, USA, 2023, p. 124000A.
 - [16] P. Peterka, I. Kašík, O. Podrazký, M. Kamrádek, P. Honzátko, "Active fibers for 2 μm fiber lasers [Invited]," in: *Laser Congress 2023 (ASSL, LAC)*, Optica Publishing Group, Tacoma, Washington, 2023, p. ATH4A.1.
 - [17] P. Peterka, B. Jiříčková, O. Schreiber, M. Grábner, Thulium cross sections temperature dependence and its effect on fiber laser operation, in: 2023 23rd International Conference on Transparent Optical Networks (ICTON), IEEE, Bucharest, Romania, 2023: p. Mo.C6.3.

- [18] P. Vařák, I. Kašík, P. Peterka, J. Aubrecht, J. Mrázek, M. Kamrádek, O. Podrazky, I. Barton, M. Franczyk, R. Buczynski, P. Honzátko, "Luminescence lifetime of Er-doped silica optical fibers: the role of composition and fabrication processing," in: *Specialty Optical Fibres*, SPIE, 2023, p. 1257310.
- [19] P. Vařák, I. Kašík, P. Peterka, J. Mrázek, M. Kamrádek, J. Aubrecht, O. Podrazký, I. Bartoň, M. Franczyk, R. Buczynski, and P. Honzátko, "The effect of thermal and mechanical processing on the fluorescence lifetime of Yb-doped silica preforms and fibers for use in nanostructured-core fiber lasers," in Proc SPIE 11981, *SPIE Photonics West, Fiber Lasers XIX: Technology and Systems*, San Francisco, California, USA, 22-27 January 2022, p. 1198103.
- [20] P. Vařák, I. Kašík, P. Peterka, J. Aubrecht, J. Mrázek, M. Kamrádek, O. Podrazky, I. Bartoň, R. Buczynski, M. Franczyk, and P. Honzátko, "The effect of fiber fabrication process on the photoluminescence properties of RE-doped optical fiber preforms and fibers," in Proc SPIE 12140, *SPIE Photonics Europe, Micro-Structured and Specialty Optical Fibres VII*, Strasbourg, France, 3-7 April 2022, p. 1214005.
- [21] J. Pokorny, J. Aubrecht, and P. Peterka, "Broadband fiber-optic thulium-doped amplifier for wavelengths beyond the L-band," in Proc SPIE 12140, *SPIE Photonics Europe, Micro-Structured and Specialty Optical Fibres VII*, Strasbourg, France, 3-7 April 2022, p. 1214009.
- [22] A. Theodosiou, J. Aubrecht, P. Peterka, and K. Kalli, "Holmium monolithic fiber lasers: An investigation of the fiber Bragg grating spatial dimensions on fiber laser performance," in Proc. SPIE 11773 *SPIE Optics + Optoelectronics, online-only, Micro-Structured and Specialty Optical Fibres VII*, April 2021, p. 117730L.
- [23] P. Vařák, P. Vařák, I. Kašík, M. Kamrádek, O. Podrazký, J. Mrázek, P. Peterka, R. Buczynski, R. Buczynski, M. Franczyk, and P. Honzátko, "Heat treatment and fiber drawing effect on the fluorescence lifetime of RE³⁺-doped preforms and fibers," in Proc. *Advanced Solid State Lasers, online only*, Oct. 2021, p. JTU1A.38.
- [24] O. Podrazky, A. Jasim, P. Peterka, M. Kamrádek, J. Aubrecht, I. Kasik, and P. Honzátko, "Double-clad active MOF and shaped optical fibers for fiber lasers and amplifiers," in Proc. *IEEE 22nd Int. Conf. on Transparent Opt. Networks (ICTON)*, online only, Jul. 2020, p. Mo.B6.5.
- [25] M. Kamrádek, M. Kamrádek, J. Aubrecht, M. Jelínek, M. Frank, P. Peterka, P. Honzátko, J. Mrázek, P. Vařák, P. Vařák, O. Podrazký, F. Todorov, V. Kubeček, and I. Kašík, "Holmium-doped fibers for efficient fiber lasers at 2100 nm," in *OSA High-brightness Sources and Light-driven Interactions Congress*, online only, Nov. 2020, p. MTh3C.5.
- [26] P. Peterka et al., "Novel geometries and layouts of double-clad fibers for fiber lasers [Invited paper]," 9th International Workshop on Fiber Lasers "Russian Fiber Lasers 2020" in virtual format, Novosibirsk, Russia, September 20-24, 2020.
- [27] P. Peterka, "[Double-clad fibers for high-power fiber lasers](#)," presented at the 9th EPS-QEOD Europhoton Conf., Sep. 2020, Summer School Tutorial p. SS2.1.
- [28] A. A. Jasim, O. Podrazky, P. Peterka, F. Todorov, M. Kamrádek, and P. Honzátko, "OH diffusion control in the shaped optical fiber preforms based on CO₂ laser," in *OSA Advanced Photonics Congress, Specialty Optical Fibers*, online only, Jul. 2020, p. SoM3H.5.
- [29] M. Kamrádek, I. Kašík, J. Aubrecht, M. Jan, O. Podrazký, J. Cajzl, P. Vařák, V. Kubeček, P. Peterka, and P. Honzátko, "Holmium-doped optical fibers for efficient fiber lasers," in Proc. SPIE 11355, *SPIE Photonics Europe, Micro-Structured and Specialty Optical Fibres VI*, online only, Apr. 2020, p. 113550C.
- [30] M. Grábner, K. Nithyanandan, P. Peterka, P. Koška, P. Honzátko, and A. A. Jasim, "Numerical modelling of pump absorption in coiled and twisted double-clad fiber: a prospect for tandem pumped fiber laser," in Proc. SPIE 11355, *SPIE Photonics Europe, Micro-Structured and Specialty Optical Fibres VI*, online only, Apr. 2020, p. 113550W.
- [31] P. Peterka, P. Koška, A. A. Jasim, N. Kanagaraj, J. Aubrecht, M. Kamrádek, O. Podrazký, F. Todorov, I. Kašík, and P. Honzátko, "Enhanced pump absorption efficiency in coiled and

- twisted double-clad fibers for fiber lasers [Invited],” presented at the 21st Int. Conf. on Transparent Optical Networks (ICTON), Angers, France, 9-13 July 2019, p. Th.B6.1.
- [32] J. Mrázek, I. Kašík, J. Aubrecht, O. Podrazký, J. Cajzl, and P. Peterka, “Nanocrystalline ceramic phosphors for high-power lasers operating at 2 μm ,” presented at the 21st Int. Conf. on Transparent Optical Networks (ICTON), Angers, France, 9-13 July 2019, p. Th.D6.1
 - [33] A. A. Jasim, J. Aubrecht, P. Peterka, M. Kamrádek, O. Podrazký, F. Todorov, I. Kašík, and P. Honzátko, “Efficient pump absorption in twisted double clad thulium-doped fibers drawn of CO₂ laser shaped preform,” in *Proc. Conference on Lasers and Electro-Optics Europe and European Quantum Electronics Conference (CLEO-Eu)*, 23-27 June 2019, p. CJ.P.8.
 - [34] A. Theodosiou, J. Aubrecht, P. Peterka, and K. Kalli, “Femtosecond laser plane-by-plane Bragg gratings for monolithic Thulium-doped fibre laser operating at 1970 nm,” in *Proc. SPIE 11029, SPIE Optics+Optoelectronics, Micro-Structured and Specialty Optical Fibres VI*, Prague, Czechia, 1-4 April 2019, p. 110290F.
 - [35] A. Theodosiou, J. Aubrecht, N. Kanagaraj, P. Peterka, K. Kalli, I. Kasik, P. Honzatko, and IEEE, “All-Fiber Mode-Locked Thulium Doped Fiber Laser Using a Novel Femtosecond Laser Inscribed 45 degrees Tilted Fiber Grating,” in *Proc. SPIE 11029, SPIE Optics+Optoelectronics, Micro-Structured and Specialty Optical Fibres VI*, Prague, Czechia, 1-4 April 2019, p. 110290F.
 - [36] P. Peterka, M. Písařík, H. Turčičová, J. Černohorská, O. Podrazký, P. Honzátko, P. Vařák, D. Pugliese, N. G. Boetti, D. Gallichi-Nottiani, D. Janner, and D. Milanese, “High-power laser tests of phosphate glass-based bioresorbable optical fibers transmission,” in *Proc. SPIE 11029, SPIE Optics + Optoelectronics, Micro-Structured and Specialty Optical Fibres VI*, Prague, Czechia, 1-4 April 2019, p. 1102911.
 - [37] A. A. Jasim, O. Podrazký, P. Peterka, F. Todorov, and P. Honzátko, “Experimental investigation and characterization of fabrication shaped clad optical fiber by thermally polishing optical fiber preforms with CO₂ laser,” in *Proc. SPIE 11029, SPIE Optics + Optoelectronics, Micro-Structured and Specialty Optical Fibres VI*, Prague, Czechia, 1-4 April 2019, p. 1102909.
 - [38] Pavel Peterka, Jan Aubrecht, Jakub Cajzl, Ondřej Podrazký, Filip Todorov, Ivan Kašík, and Pavel Honzátko, “Dynamic gratings induced by mode instabilities in fiber lasers [invited],” in *Proc. 10976, 21st Czech-Polish-Slovak Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Lednice, Czechia, 3-7 Sep. 2018, p. 109760H.
 - [39] Slawomir Sujecki, Lukasz Sojka, Angela Seddon, Trevor Benson, Mario Christian Falconi, Francesco Prudenzeno, Marian Marciniak, Hovik Baghdasary, Pavel Peterka, and Stefano Taccheo, “Comparative study of infrared fiber laser models,” in *Proc SPIE 10683, SPIE Photonics Europe*, Strasbourg, France, 22-26 April 2018, p. 106832A.
 - [40] M. Kamradek, I. Kasik, P. Peterka, J. Aubrecht, O. Podrazky, P. Honzatko, J. Mrazek, and V. Kubecek, “Silica and germanate-based rare-earth doped glasses for fiber lasers,” in *Proc SPIE 10683, SPIE Photonics Europe*, Strasbourg, France, 22-26 April 2018, p. 106832L.
 - [41] J. Cernohorska, M. Pisarik, P. Peterka, J. Aubrecht, R. Amani, O. Novak, M. Smrz, M. Jelinek, A. Lucianetti, A. Endo, and T. Mocek, “High-energy subpicosecond 2.1- μm fiber laser,” in *Proc SPIE 10683, SPIE Photonics Europe*, Strasbourg, France, 22-26 April 2018, p. 1068315.
 - [42] Jan Aubrecht, Antreas Theodosiou, Pavel Peterka, Ivan Kašík, Filip Todorov, Ondřej Moravec, Pavel Honzátko, and Kyriacos Kalli, “Monolithic Er/Yb double-clad fibre laser with FBG inscribed using the direct-write plane-by-plane fs-laser inscription method,” in *Proc SPIE 10683, SPIE Photonics Europe*, Strasbourg, France, 22-26 April 2018, p. 1068304.
 - [43] Romain Dalidet, Pavel Peterka, Valérie Doya, Jan Aubrecht, and Pavel Koška, “Pump absorption in coiled and twisted double-clad hexagonal fiber: effect of launching conditions and core location,” in *Proc. SPIE 10512, SPIE Photonics West: Fiber Lasers XV*, San Francisco, USA, 27 January–1 February 2018, p. 105122P.
 - [44] O. Podrazký, P. Peterka, S. Vytykáčová, J. Probošťová, M. Kuneš, O. Lyutakov, E. Ceci-Ginistrelli, D. Pugliese, N. G. Boetti, D. Janner, and D. Milanese, “Biomedical and sensing applications of a multi-mode biodegradable phosphate-based optical fiber,” in *Proc. SPIE*

- 10488, *SPIE Photonics West: Optical Fibers and Sensors for Medical Diagnostics and Treatment Applications XVIII*, San Francisco, USA, 27 January–1 February 2018, p. 104880H.
- [45] O. Podrazký, P. Peterka, S. Vytykáčová, J. Proboštová, M. Kuneš, O. Lyutakov, E. Ceci-Ginistrelli, D. Pugliese, N. G. Boetti, D. Janner, and D. Milanese, "Biomedical and sensing applications of a multi-mode biodegradable phosphate-based optical fiber," in Proc. SPIE 10488, *SPIE Photonics West: Optical Fibers and Sensors for Medical Diagnostics and Treatment Applications XVIII*, San Francisco, USA, 27 January–1 February 2018, p. 104880H.
 - [46] R. Dalidet, P. Peterka, V. Doya, J. Aubrecht, and P. Koška, "Pump absorption in coiled and twisted double-clad hexagonal fiber: effect of launching conditions and core location," in Proc. SPIE 10512, *SPIE Photonics West*, San Francisco, USA, 27 Jan.–1 Feb. 2018, p. 105122P.
 - [47] P. Peterka, P. Honzatko, J. Aubrecht, P. Navratil, P. Koska, F. Todorov, O. Podrazky, J. Ctyroky, and I. Kasik, "Self-sweeping of laser wavelength and associated mode instabilities in fiber lasers [Invited]," in Proc. 19th Int. Conf. on Transparent Opt. Networks (ICTON), Girona, Catalonia, Spain, 2–6 July 2017, p. Tu.B6.2.
 - [48] T. Nemecek, M. Komanec, D. Suslov, P. Peterka, D. Pysz, R. Buczynski, B. Nelsen, and S. Zvanovec, "Development and characterization of highly nonlinear multicomponent glass photonic crystal fibers for mid-infrared applications," in Proc. SPIE 10232, *SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres V*, Prague, Czech Republic, 24–27 April 2017, p. 1023204.
 - [49] P. Koska, P. Peterka (presenting author), V. Doya, J. Aubrecht, I. Kasik, and O. Podrazky, "Enhancement of pump absorption efficiency by bending and twisting of double clad rare earth doped fibers (Conference Presentation) [Invited]," in Proc. SPIE 10232, *SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres V*, Prague, Czechia, 24–27 April 2017, p. 102320E.
 - [50] P. Koska, V. Doya, and P. Peterka, "Modal-field spectra analysis of pump absorption efficiency in double-clad rare-earth doped fibers (Conference Presentation)," in Proc. SPIE 10083, *SPIE Photonics West*, San Francisco, USA, 28 January–2 February 2017, p. 100830U.
 - [51] M. Kamradek, J. Aubrecht, P. Peterka, O. Podrazky, P. Honzatko, J. Cajzl, J. Mrazek, V. Kubecek, and I. Kasik, "Spectral properties of thulium doped optical fibers for fiber lasers around 2 micrometers," in Proc. SPIE 10232, *SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres V*, 24–27 April 2017, p. 1023205.
 - [52] M. Kamradek, J. Aubrecht, P. Peterka, O. Podrazky, P. Honzatko, J. Cajzl, J. Mrazek, V. Kubecek, and I. Kasik, "Thulium-doped optical fibers for fiber lasers," in Proc. SPIE 10603, *Photonics Prague*, Prague, Czech Republic, 28–30 August 2017, p. 106030V.
 - [53] J. Cajzl, P. Peterka, P. Honzatko, O. Podrazky, M. Kamradek, J. Aubrecht, J. Proboštová, and I. Kasik, "Evaluation of energy transfer coefficients in Tm-doped fibers for fiber lasers," in Proc. SPIE 10603, *Photonics Prague*, Prague, Czech Republic, 28–30 Aug. 2017, p. 106030G.
 - [54] J. Aubrecht, P. Peterka, P. Koska, P. Honzatko, M. Jelinek, M. Kamradek, M. Frank, V. Kubecek, and I. Kasik, "Spontaneous laser-line sweeping in Ho-doped fiber laser," in Proc. SPIE 10083, *SPIE Photonics West*, San Francisco, USA, 28 January–2 February 2017, p. 100831V.
 - [55] J. Aubrecht, P. Peterka, P. Honzatko, F. Todorov, O. Podrazky, M. Kamradek, J. Proboštová, and I. Kasik, "Monolithic thulium-doped fiber laser," in Proc. SPIE 10603, *Photonics Prague*, Prague, Czech Republic, 28–30 August 2017, p. 106030L.
 - [56] S. Taccheo, K. Schuster, M. Ferrari, A. Seddon, M. Marciniak, C. Taudt, J. Troles, G. Valentini, D. Dorosz, F. Prudenzano, M. Jaeger, C. Dandrea, M. Ivanda, A. Chiasera, S. Sujecki, V. Nazabal, D. Comelli, H. Baghdasaryan, T. Baselt, P. Hartmann, A. Lucianetti, P. Peterka, A. Klotzbach, J. L. Adam, and H. Gebavi, "Challenges and future trends in fiber lasers," in Proc. 18th International Conference on Transparent Optical Networks (ICTON), Trento, Italy, 10–14 July 2016, p. ThC1.
 - [57] J. Proboštová, J. Slanicka, J. Mrazek, O. Podrazky, A. Benda, and P. Peterka, "Measurement of refractive index profile of non-symmetric, complex silica preforms with high refractive index

- differences," in Proc. SPIE 9886, *SPIE Photonics Europe: Micro-Structured and Specialty Optical Fibres IV*, Brussels, Belgium, 4-7 April 2016, p. 98861G.
- [58] P. Honzatko, Y. Baravets, S. Mondal, P. Peterka, and F. Todorov, "Coherent sources for mid-infrared laser spectroscopy [Invited]," in Proc. SPIE 10142, *20th Slovak-Czech-Polish Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Jasná, Slovakia, 5-9 Sept. 2016, p. 1014202.
 - [59] J. Aubrecht, P. Peterka, P. Honzátka, P. Koška, O. Podrazký, F. Todorov, and I. Kašík, "Self-swept holmium-doped fiber laser near 2100 nm," in Proc. OSA *Lasers Congress: Advanced Solid State Lasers*, Boston, Massachusetts, 30 October–3 November 2016, p. JT2A.7.
 - [60] J. Aubrecht, P. Peterka, P. Honzatko, Y. Baravets, M. Jelinek, V. Kubecek, M. Pawliszewska, J. Sotor, G. Sobon, K. M. Abramski, and I. Kasik, "Characterization of holmium fibers with various concentrations for fiber laser applications around 2.1 μm ," in Proc. SPIE 9886, *SPIE Photonics Europe*, Brussels, Belgium, 4-7 April 2016, p. 988607.
 - [61] P. Peterka, P. Honzatko, P. Koska, O. Podrazky, and I. Kasik, "Transient-fiber-Bragg grating spectra in self-swept Fabry-Perot fiber lasers," in Proc. SPIE 9344, *SPIE Photonics West: Fiber Lasers XII*, San Francisco, USA, 7-12 Feb. 2015, p. 934423.
 - [62] P. Peterka, P. Honzátka, I. Kašík, J. Tarka, G. Sobon, and J. Sotor, "Thulium doped fibers and components for fiber lasers at around 2 μm [Invited]," presented at the *Progress In Electromagnetics Research Symposium - PIERS 2015*, Prague, Czech Republic, 06-09 July 2015.
 - [63] P. Koška, P. Peterka, J. Aubrecht, O. Podrazký, F. Todorov, Y. Baravets, P. Honzátka, and I. Kašík, "Enhanced pump absorption efficiency in coiled and twisted double-clad thulium-doped fibers," in Proc. OSA *Advanced Solid State Lasers*, Berlin, Germany, 4–9 Oct. 2015, p. ATu2A.23.
 - [64] P. Koska, Y. Baravets, P. Peterka, M. Pisarik, and J. Bohata, "Optimized mode-field adapter for low-loss fused fiber bundle signal and pump combiners," in Proc. SPIE 9344, *SPIE Photonics West: Fiber Lasers XII*, San Francisco, USA, 7-12 Feb. 2015, p. 93442I.
 - [65] J. Cajzl, P. Peterka, A. Benda, F. Todorov, Y. Baravets, O. Podrazký, P. Honzátka, and I. Kašík, "Characterization and numerical modeling of holmium-doped optical fibers for fiber lasers at 2.1 μm ," in Proc. *Semiconductor Mid-IR Materials and Optics (SMMO)*, Prague, Czech Republic, 8-11 April 2015, p. 66.
 - [66] J. Aubrecht, J. Cajzl, P. Peterka, P. Honzatko, P. Koska, Y. Baravets, M. Becker, O. Podrazky, F. Todorov, and I. Kasik, "Characterization of double-clad thulium-doped fiber with increased quantum conversion efficiency," in Proc. SPIE 9507, *SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres IV*, 13-16 April 2015, p. 95070P.
 - [67] O. Podrazky, I. Kasik, P. Peterka, J. Aubrecht, J. Cajzl, J. Probostova, and V. Matejec, "Preparation of optical fibers with non-circular cross-section for fiber lasers and amplifiers," in Proc. SPIE 9450, *Photonics Prague*, Prague, Czech Republic, 27-29 August 2014, p. 94501A.
 - [68] P. Peterka, P. Honzatko, F. Todorov, J. Aubrecht, O. Podrazky, and I. Kasik, "Self-Q-switched regime of fiber lasers as a transition from self-induced laser line sweeping," in Proc. OSA *Advanced Photonics Congress: Specialty Optical Fibers*, Barcelona, Catalunya, Spain, 27–31 July 2014, p. SoTh2B.6.
 - [69] P. Peterka, P. Honzatko, I. Kasik, J. Cajzl, and O. Podrazky, "Thulium-doped optical fibers and components for fiber lasers in 2 μm spectral range [Invited]," in Proc. SPIE 9441, *19th Polish-Slovak-Czech Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Wojanów Palace, Poland, 8-12 Sept. 2014, p. 94410B.
 - [70] P. Koška and P. Peterka, "Numerical analysis of pump propagation and absorption in specially tailored double-clad rare-earth doped fiber," in Proc. *22nd Int. Workshop on Opt. Waveguide Theory and Numerical Modelling (OWTNM)*, Nice, France, 27-28 June 2014, p. O1.1.
 - [71] J. Cajzl, P. Peterka, P. Honzatko, J. Mrazek, O. Podrazky, F. Todorov, P. Gladkov, J. K. Sahu, M. Nunez-Velazquez, P. Nekvindova, and I. Kasik, "Characterization of fluorescence lifetime of Tm-doped fibers with increased quantum conversion efficiency," in Proc. SPIE 9450, *Photonics Prague*, Prague, Czech Republic, 27-29 August 2014, p. 945017.

- [72] P. Peterka, I. Kašík, V. Matějec, P. Honzátka, T. Martan, O. Podrazký, R. Slavík, F. Todorov, J. Mrázek, and J. Kaňka, "Specialty optical fibers and components for fiber lasers and sensors in UFE [Invited]," presented at the *SPIE Optics+Optoelectronics: NSF Workshop on US-Czech Frontiers in Photonics*, Prague, Czech Republic, 15-18 April 2013.
- [73] P. Peterka, P. Honzátka, F. Todorov, M. Pisarik, O. Podrazky, and I. Kasik, "Thulium-doped-fiber based ASE sources with spectrally-flattened spectrum," in *Proc. 22nd International Laser Physics Workshop (LPHYS'13)*, Prague, Czech Republic, 15–19 July 2013, p. 8.2.4.
- [74] P. Peterka, P. Honzátka, M. Pisarik, F. Todorov, Y. Baravets, O. Podrazky, and I. Kasik, "Components for thulium-doped fiber lasers," in *Proc. Semiconductor Mid-IR Materials and Optics (SMMO)*, Warsaw, Poland, 27 February-2 March 2013, p. 34.
- [75] P. Peterka, P. Honzátka, M. Becker, F. Todorov, M. Pisarik, O. Podrazky, and I. Kasik, "Monolithic thulium-doped fiber laser with UV femtosecond-laser-induced fiber-Bragg-grating pair," in *Proc. Conf. on Lasers and Electro-Optics Europe and Int. Quantum Electronics Conference (CLEO Europe/IQEC)*, München, Germany, 12-16 May 2013, p. CJ.P.5 WED.
- [76] P. Navratil, P. Peterka, and V. Kubecek, "Effect of pump wavelength on self-induced laser line sweeping in Yb-doped fiber laser," in *Proc. SPIE 8775, SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres II*, Prague, Czech Republic, 15-18 April 2013, p. 87750D.
- [77] P. Navratil, P. Peterka, P. Honzátka, I. Kasik, and V. Kubecek, "Investigation of two distinct regimes of laser wavelength sweeping in Fabry–Perot fiber lasers at 1.08 and 1.55 μm ," in *Proc. 22nd International Laser Physics Workshop (LPHYS'13)*, Prague, Czech Republic, 15–19 July 2013, p. 8.1.3.
- [78] J.-F. Lupi, W. Blanc, B. Dussardier, and P. Peterka, "Up-conversion a trois étapes dans une fibre optique aluminosilicate dopée au thulium pompée a 1070 nm," presented at the *Congrès OPTIQUE Paris 2013, Journées Nationales d'Optique Guidée (JNOG)*, Paris, France, 8-11 July 2013.
- [79] P. Koska, P. Peterka, I. Kasik, V. Matejec, and O. Podrazky, "Double-clad rare-earth-doped fiber with cross-section tailored for splicing to the pump and signal fibers: analysis of pump propagation," in *Proc. 8775, SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres II*, Prague, Czech Republic, 15-18 April 2013, p. 87750V.
- [80] I. Kasik, J. Cajzl, O. Podrazky, J. Mrázek, J. Aubrecht, P. Peterka, P. Nekvindova, and V. Matejec, "Erbium-doped active optical fibers with nanostructured host matrix," presented at the *23rd Int. Congress on Glass*, Prague, Czech Republic, 1-5 July 2013.
- [81] J. Cajzl, O. Podrazky, J. Mrázek, J. Aubrecht, V. Matejec, P. Peterka, P. Nekvindova, and I. Kasik, "The influence of nanostructured optical fiber core matrix on the optical properties of EDFA," in *Proc. SPIE 8775, SPIE Optics+Optoelectronics: Micro-Structured and Specialty Optical Fibres II*, Prague, Czech Republic, 15-18 April 2013, p. 877509.
- [82] P. Zahradnik, P. Peterka, P. Vojtisek, and P. Honzátka, "Numerical modeling of all-fiber passively Q-switched fiber lasers," in *Proc. SPIE 8697, 18th Czech-Polish-Slovak Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Ostravice, Czech Republic, 3-7 sept. 2012, p. 86971L.
- [83] P. Peterka, F. Todorov, I. Kašík, V. Matějec, O. Podrazký, L. Šašek, G. Mallmann, and R. Schmitt, "Wideband and high-power light sources for in-line interferometric diagnostics of laser structuring systems," in *Proc. SPIE 8697, 18th Czech-Polish-Slovak Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Ostravice, Czech Republic, 3-7 Sept. 2012, p. 869718.
- [84] P. Peterka, P. Navratil, B. Dussardier, R. Slavik, P. Honzátka, and V. Kubecek, "Self-induced laser line sweeping and self-pulsing in double-clad fiber lasers in Fabry-Perot and unidirectional ring cavities," in *Proc. SPIE 8433, SPIE Photonics Europe: Laser Sources and Applications*, Brussels, Belgium, 16-19 April 2012, p. 843309.

- [85] P. Peterka, B. Dussardier, W. Blanc, I. Kasik, and P. Honzatko, "Thulium-doped silica fibers with enhanced $^3\text{H}_4$ level lifetime for fiber lasers and amplifiers," in Proc. *IEEE 3rd International Conference on Photonics*, Penang, Malaysia, 1-3 Oct. 2012, pp. 56-60.
- [86] P. Navrátil, P. Vojtisek, P. Peterka, P. Honzatko, and V. Kubecek, "Self-induced laser line sweeping and self-pulsing in rare-earth doped fiber lasers," in Proc. 8697, *18th Czech-Polish-Slovak Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Ostravice, Czech Republic, 3-7 Sept. 2012, p. 86971M.
- [87] P. Honzátka, P. Vojtíšek, P. Navrátil, and P. Peterka, "Self-induced laser line sweeping in tunable erbium-doped fiber laser," in Proc. *5th EPS-QEOD Europhoton Conference*, Stockholm, Sweden, 26-31 August 2012, p. WeP28.
- [88] R. Schmitt, G. Mallmann, and P. Peterka, "Development of a FD-OCT for the inline process metrology in laser structuring systems," in Proc. SPIE 8082, *SPIE Optical Metrology: Optical Measurement Systems for Industrial Inspection VII*, München, Germany, 23-26 June 2011, p. 808228.
- [89] P. Peterka, I. Kasik, W. Blanc, and B. Dussardier, "Modélisation d'un laser a fibre émettant a 800 nm," in Proc. *Journées Nationales d'Optique Guidée (JNOG)*, Marseille, France, 4-7 Juillet 2011, p. P191.
- [90] P. Peterka, P. Honzátka, R. Slavík, P. Navrátil, and P. Zahradník, "Nonlinear optical switch for laser Q-switching based on cascaded long-period fiber gratings in Yb-doped fiber and fiber Bragg grating," in Proc. *2nd EOS Topical Meeting on Lasers (ETML'11)*, Capri, Italy, 26-28 Sept. 2011, p. 4532.
- [91] I. Kasik, A. Dhar, O. Podrazky, J. Mrazek, V. Matejec, P. Peterka, B. Dussardier, and V. Kubecek, "Special optical fibers doped with nanoparticles [Invited Paper]," presented at the *International Conference on Specialty Glass and Optical Fiber: Materials, Technology and Devices (ICGF-2011)*, Kolkata, India, 4-6 August 2011.
- [92] P. Honzatko, P. Peterka, A. Dhar, I. Kasik, O. Podrazky, and V. Matejec, "Efficient core-pumped thulium doped fibers for single frequency master oscillators working at 2000 nm band," in Proc. *2nd EOS Topical Meeting on Lasers (ETML'11)*, Capri, Italy, 26-28 Sept. 2011, p. 4557.
- [93] P. Honzatko, A. Dhar, I. Kasik, O. Podrazky, V. Matejec, P. Peterka, W. Blanc, and B. Dussardier, "Preparation and characterization of highly thulium- and alumina-doped optical fibers for single-frequency fiber lasers," in Proc. SPIE 8306, *Photonics Prague*, Prague, Czech Republic, 24-26 August 2011, p. 830608.
- [94] B. Dussardier, J. Maria, and P. Peterka, "Ytterbium- and chromium-doped fibre laser: from chaotic self-pulsing to passive Q-switching," in Proc. *20th International Laser Physics Workshop (LPHYS'11)*, Sarajevo, Bosnia and Herzegovina, 11-15 July 2011, p. 8.2.3.
- [95] P. Peterka, I. Kasik, B. Dussardier, and W. Blanc, "Theoretical analysis of fiber lasers emitting around 810 nm based on thulium-doped silica fibers with enhanced $^3\text{H}_4$ level lifetime," in Proc. *4th EPS-QEOD Europhoton conference*, Hamburg, Germany, 29 Aug. - 3 Sept. 2010, p. WeP5.
- [96] P. Peterka, I. Kasik, A. Dhar, B. Dussardier, and W. Blanc, "Thulium-doped silica fibers with enhanced $^3\text{H}_4$ level lifetime: modelling the devices for 800-820 nm band," in Proc. SPIE 7843, *SPIE Photonics Asia: High-Power Lasers and Applications V*, Beijing, China, p. 78430A.
- [97] P. Peterka, I. Kasik, W. Blanc, B. Dussardier, and G. Monnom, "Thulium-doped silica fibers with enhanced $^3\text{H}_4$ level lifetime: modelling the devices for 800-820 nm and 1460-1530 nm bands [Invited]," presented at the *Final Conference of the COST Action 299 Optical Fibers for New Challenges Facing the Information Society*, Cluj-Napoca, Romania, 15-17 March 2010.
- [98] A. Novozamsky, J. Slanicka, and P. Peterka, "Tomography Reconstruction of Geometry and Refractive Index Profile of Highly Asymmetric Optical Fiber Preforms," in Proc. SPIE 7746, *17th Slovak-Czech-Polish Optical Conference on Wave and Quantum Aspects of Contemporary Optics*, Liptovský Ján, Slovakia, 6-10 Sept. 2010, p. 77461O.

- [99] B. Dussardier, J. Maria, and P. Peterka, "Passively Q-switched ytterbium and chromium all-fibre laser," in Proc. *Photonics 2010 - International Conference on Fiber Optics & Photonics*, Guwahati, India, 11-15 December 2010, p. 483.
- [100] P. Peterka and R. Slavík, "Extension of the double-clad Yb-doped fiber laser oscillation range thanks to long-period fiber grating filters," in Proc. OSA *CLEO/Europe and EQEC*, München, Germany, 14-19 June 2009, p. CJ.P11.
- [101] J. Maria, P. Peterka, R. Slavík, B. Dussardier, P. Honzatko, and V. Kubecek, "Selection de la longueur d'onde d'un laser en anneau a fibre dopee Yb par un reseau a pas long," in Proc. *Optique Lille 2009: 28iemes Journées Nationales d'Optique Guidée (JNOG)*, Lille, France, 6-9 Juillet 2009, p. A1.4.
- [102] J. Maria, P. Peterka, and B. Dussardier, "Effets d'absorbant saturable sur la dynamique d'un laser a fibre double gaine dopée ytterbium," in Proc. *11'eme Colloque sur les Lasers et l'Optique Quantique (COLOQ11)*, Mouans-Sartoux, France, 7-9 Sept. 2009, p. 56.
- [103] P. Peterka, W. Blanc, B. Dussardier, G. Monnom, D. Simpson, and G. Baxter, "Estimation of energy transfer parameters in thulium- and ytterbium-doped silica fibers," in Proc. SPIE 7138, *Photonics Prague*, Prague, Czech Republic, 27-29 Aug. 2008, p. 71381K.
- [104] P. Peterka, I. Kasik, V. Matejec, M. Karasek, J. Kanka, P. Honzatko, and V. Kubecek, "Amplifier performance of double-clad Er/Yb-doped fiber with cross-section tailored for direct splicing to the pump and signal fibers," in Proc. OSA *Optical Fiber Communication Conference and Exposition and The National Fiber Optic Engineers Conference*, Anaheim, California, USA, 25-29 March 2007, p. JWA12.
- [105] D. Kacik, P. Peterka, J. Canning, I. Turek, M. Kolimar, and S. Berezina, "The modified interferometer for measurement of the chromatic dispersion in PCFs," in Proc. SPIE 6588, *SPIE Optics+Optoelectronics: Photonic Crystal Fibers*, Prague, Czech Republic, 16-19 April 2007, p. 65880N.
- [106] P. Peterka, V. Kubecek, P. Dvoracek, I. Kasik, and V. Matejec, "Laser performance of double-clad Er/Yb doped fiber with cross-section tailored for direct splicing to the pump and signal fibers," in Proc. OSA *Conference on Lasers and Electro-Optics (CLEO)*, Long Beach, California, USA, 21-26 May 2006, p. CTuQ7.
- [107] P. Peterka, I. Kasik, V. Matejec, W. Blanc, B. Faure, B. Dussardier, G. Monnom, and V. Kubecek, "Thulium-doped silica-based optical fibers for cladding-pumped amplifiers and lasers," in Proc. *4th International Symposium on Laser, Scintillator and Non Linear Optical Materials (ISLNOM)*, Prague, Czech Republic, 26-30 June 2006, p. 127.
- [108] V. Matejec, M. Hayer, I. Kasik, J. Mrazek, P. Peterka, J. Kanka, and P. Honzatko, "Microstructure fibers for the development of fiber lasers," in Proc. SPIE 6180, *Photonics Prague*, Prague, Czech Republic, 8-11 June 2005, p. 61800Z.
- [109] J. Slánička, P. Peterka, V. Matějec, I. Kašík, and M. Pospíšilová, "Tomographic reconstruction of the geometry and refractive index profile of specialty fibre preforms," in Proc. *Optické komunikace*, Prague, Czech Republic, 20-21 Oct. 2005, pp. 121-127 (in Czech).
- [110] P. Peterka, I. Kašík, V. Matějec, J. Kaňka, M. Karásek, M. Hayer, and J. Slánička, "Novel coupling element for end-pumping of double-clad fibres," in Proc. *31st European Conference on Optical Communication (ECOC'05)*, Glasgow, Scotland, 25-29 Sept. 2005, pp. 755-756.
- [111] P. Peterka, I. Kašík, V. Kubeček, V. Matějec, M. Hayer, P. Honzátko, A. Zavadilova, and P. Dvořáček, "Optimization of erbium-ytterbium fibre laser with simple double-clad structure," in Proc. SPIE 6180, *Photonics Prague*, Prague, Czech Republic, 8-11 June 2005, p. 618010.
- [112] P. Peterka, I. Kasik, V. Matejec, P. Honzatko, and J. Slanicka, "Novel method for end-pumping of double-clad fiber amplifiers: principle and tailoring the cross section," in Proc. OSA *Optical Amplifiers and Their Applications*, Budapest, Hungary, 7-10 August 2005, p. ME4.
- [113] P. Peterka, J. Kanka, P. Dymak, P. Honzatko, D. Kacik, J. Canning, W. Padden, and K. Lyytikainen, "Measurement of chromatic dispersion in specialty fibres using simple setup of

- interferometric method," in Proc. 7th *Optical Fibre measurement Conference (OFMC'05)*, Teddington, UK, 21-23 Sept. 2005 pp. 45-49.
- [114] M. Karasek, P. Peterka, and J. Radil, "Transmission of 2x 10 GE channels over 252 km without in-line EDFA," in Proc. *Conference on Optical Network Design and Modelling*, Milano, Italy, 7-9 Feb. 2005, pp. 55-58.
 - [115] D. Kacik, I. Turek, I. Martincek, D. Pudis, K. Lyytikainen, J. Canning, and P. Peterka, "Influence of fibre length on intermodal interference in PCF," in Proc. SPIE 5950, *Int. Congress on Optics and Optoelectronics: Photonic Crystals and Fibers*, Warsaw, Poland, 28 Aug. - 5 Sept. 2005, p. 595011.
 - [116] W. Blanc, P. Peterka, B. Faure, B. Dussardier, G. Monnom, I. Kasik, J. Kanka, D. Simpson, and G. Baxter, "Characterization of a thulium-doped silica-based optical fibre for S-band amplification," in Proc. SPIE 6180, *Photonics Prague*, Prague, Czech Republic, 8-11 June 2005, p. 61800V.
 - [117] D. Simpson, T. Nguyen, G. Baxter, S. Collins, B. Faure, W. Blanc, B. Dussardier, G. Monnom, and P. Peterka, "Thulium-doped silica fiber for S-band amplifiers: pump power and host composition effect on the $^3\text{H}_4 \Rightarrow ^3\text{F}_4$ band," in Proc. *EPS-QEOD Europhoton Conference on Solid-State and Fiber Coherent Light Sources*, Lausanne, Switzerland, 29 Aug. - 3. Sept. 2004, p. WeC14.
 - [118] P. Peterka, P. Dymák, P. Honzátko, V. Matějec, J. Kaňka, T. Martan, B. Vraný, D. Káčik, W. Padden, and K. Lyytikainen, "Measurement of chromatic dispersion and birefringence of microstructure optical fibres," in Proc. *Optické komunikace*, Prague, Czech Republic, 21-22 Oct. 2004, pp. 137-143 (in Czech).
 - [119] M. Karasek, P. Peterka, and J. Radil, "Optimization of the 10 Gigabit Ethernet transmission over standard single-mode fibres without in-line amplifiers," in Proc. *Elektro 2004*, Žilina, Slovakia, 25-26 May 2004, pp. 11-14 (in Czech).
 - [120] B. Faure, W. Blanc, B. Dussardier, G. Monnom, and P. Peterka, "Thulium-doped silica-fiber based S-band amplifier with increased efficiency by aluminum co-doping," in Proc. Optical Society of America *Optical Amplifiers and Their Applications*, San Francisco, California, USA, 27-30 June 2004, p. OWC2.
 - [121] P. Peterka, I. Kašík, and V. Matějec, "Optimal fibre cross section shape for cladding-pumped fibre lasers and amplifiers," in Proc. *Optické komunikace*, Prague, Czech Republic, 21-22 Oct. 2003, pp. 125-130 (in Czech).
 - [122] P. Peterka, B. Faure, W. Blanc, M. Karasek, and B. Dussardier, "Theoretical modelling of S-band thulium-doped fibre amplifiers," in Proc. 11th *International Workshop on Optical Waveguide Theory and Numerical Modelling (OWTNM)*, Prague, Czech Republic, 4-5 April 2003, p. 130.
 - [123] P. Peterka, W. Blanc, B. Faure, B. Dussardier, and G. Monnom, "Modélisation de l'amplificateur à fibre de silice dopée thulium," in Proc. 8^{ème} *Colloque sur les lasers et l'optique quantique (COLOQ 8)*, Toulouse, France, 3-5 Sept. 2003.
 - [124] D. Káčik, I. Turek, I. Martinček, and P. Peterka, "Characterisation of the experimental twin-core fibre," in Proc. *Optické komunikace*, Prague, Czech Republic, 21-22 Oct. 2003, pp. 71-76 (in Slovak).
 - [125] B. Faure, W. Blanc, P. Peterka, A. Ibrahim, B. Dussardier, and G. Monnom, "Fibre optique en silice dopée au thulium pour la réalisation d'un amplificateur dans la bande S," in Proc. 22^{èmes} *Journées Nationales d'Optique Guidée (JNOG)*, Valence, France, 12 - 14 Nov. 2003.
 - [126] P. Peterka, P. Honzatko, J. Kanka, V. Matejec, and I. Kasik, "Generation of high repetition rate pulse trains in a fiber laser through a twin-core fiber," in Proc. SPIE 5036, *Photonics Prague*, Prague, Czech Republic, 26-29 May 2002, pp. 376-381.
 - [127] P. Dymák and P. Peterka, "Measurement of chromatic dispersion of erbium-doped fibres using interferometric method," in Proc. *Optické komunikace*, Prague, Czech Republic, 30-31 Oct. 2002, pp. 136-140 (in Czech).

- [128] P. Peterka, P. Honzátko, J. Kaňka, V. Matějec, and I. Kašík, "Measurement of intermodal dispersion in a twin-core fibre filter," in Proc. *6th Optical Fibre Measurement Conf. (OFMC'01)*, Cambridge, United Kingdom, 26-28 Sept. 2001, pp. 221-224.
- [129] J. Kanka, P. Honzatko, and P. Peterka, "Stationary pulse train generation through modulational-instability in a sigma-cavity fiber laser," in Proc. *OSA Annual Meeting*, Long Beach, California, USA, 14-18 Oct. 2001, p. MZ2.
- [130] J. Kanka, P. Honzatko, and P. Peterka, "Characterisation of a modulation instability sigma-cavity fibre laser," in Proc. *6th Optical Fibre Measurement Conf. (OFMC'01)*, Cambridge, United Kingdom, 26-28 Sept. 2001, pp. 255-258.
- [131] P. Honzátko, P. Peterka, and J. Kaňka, "Three- and four-wave model of modulation instability fiber laser," in Proc. *2nd EOS Topical Meeting on Electromagnetic Optics*, Paris, France, 26-30 Aug. 2001, p. 108.
- [132] P. Peterka, J. Kaňka, and P. Honzátko, "Measurement of intermodal dispersion in a twin-core optical fibre," in Proc. *Optické komunikace*, Prague, Czech Republic, 14-15 Nov. 2000, pp. 128-132 (in Czech).
- [133] P. Peterka and J. Kanka, "Erbium-doped twin-core fibre narrow-band filter for fibre lasers," in Proc. *Workshop on Optical Waveguide Theory and Numerical Modelling (OWTNM)*, Prague, Czech Republic, 26-27 May 2000.
- [134] P. Peterka, A. Procházka, and V. Matějec, "Application of the spot size measurement using offset method to Er/Yb fibres characterization," in Proc. *Optické komunikace*, Prague, Czech Republic, 23-24 Nov. 1999, p. 174 (in Czech).
- [135] P. Peterka, J. Kanka, M. Karasek, P. Honzatko, and F. Abdelmalek, "Characterization and modelling of Er/Yb codoped fibres," in Proc. SPIE 4016, *Photonics Prague*, Prague, Czech Republic, 21-23 June 1999, pp. 282-287.
- [136] J. Kanka, P. Peterka, P. Honzatko, V. Matejec, and I. Kasik, "Performance characterisation of twin-core fibre filter in fibre laser," in Proc. *5th Optical Fibre Measurement Conf. (OFMC'99)*, Nantes, France, 22-24 Sept. 1999, pp. 190-193.
- [137] J. Kanka, P. Honzatko, P. Peterka, I. Kasik, and V. Matejec, "Line-narrowing and wavelength stabilisation in a tunable Er-Yb fibre ring laser with an Er twin-core fibre," in Proc. SPIE 4016, *Photonics Prague*, Prague, Czech Republic, 21-23 June 1999, pp. 315-319.
- [138] P. Peterka, J. Kaňka, P. Honzátko, V. Matějec, and I. Kašík, "Twin-core optical fiber - design, preparation, characterisation," in Proc. *Optické komunikace*, Prague, Czech Republic, 20-21 Oct. 1998, pp. 127-131 (in Czech).
- [139] P. Peterka and J. Kaňka, "Er-doped twin-core fibre as a saturable- absorber-based tracking bandpass filter for fibre lasers," in Proc. *7th Czech Technical University Annual Seminar WORKSHOP'98*, Prague, Czech Republic, 3-5 Feb. 1998, pp. I.323-324.
- [140] J. Kaňka, P. Peterka, P. Honzátko, V. Matějec, and I. Kašík, "Er-doped twin-core fibre coupler as a saturable-absorber-based tracking narrow-band filter for fibre lasers," in Proc. *Czech-Chinese Workshop on Advanced Materials for Optoelectronics (AMFO'98)*, Prague, Czech Republic, 15-17 June 1998, p. 10.
- [141] J. Kaňka and P. Peterka, "Er-doped twin-core fibre tracking bandpass filter for fibre lasers," in Proc. *International Student Conference on Electrical Engineering (POSTER'98)*, Prague, Czech Republic, 28 May 1998, p. EEC14.
- [142] P. Peterka, "Design of the twin-core fiber coupler," in Proc. *International Student Conference on Electrical Engineering (POSTER'97)*, Prague, Czech Republic, May 1997, p. EEC30.
- [143] U. Haberland, P. Peterka, and V. Blažek, "Depth resolved Doppler imaging with synthesised coherence functions using tunable lasers - Concept and theoretical aspects," in Proc. *Fortschritt-Berichte VDI 7th International Symposium Computer-aided Noninvasive Vascular Diagnostics (CNVD'97): Frontiers in computer-aided visualization of vascular functions*, Paris, France, 10-12 Jan. 1997, pp. 41 - 46.

- [144] P. Peterka, "Computer model of Er/Yb-doped fiber amplifier," in Proc. *International Student Conference on Electrical Eng. (POSTER'96)*, Prague, Czech Republic, 1996 (in Czech), p. 50.
- [145] M. Khodl, I. Paulička, V. Sochor, J. Resl, and P. Peterka, "Fiber optic sensor for area protection," in Proc. *Czech Technical University Annual Seminar WORKSHOP'92*, Prague, Czechoslovakia, 1992.